



DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT

REASON	GRADE	Inspection Date:	ESTABLISHMENT NAME:	
Regular <input checked="" type="checkbox"/>	4	02/01/2018	GRACE CARE CENTER EARLY CHILDHOOD DEVELOPMENT	
Follow-Up <input type="checkbox"/>		Time In/Out:	OWNER/OPERATOR:	
Complaint <input type="checkbox"/>		2:30PM 3:45PM	DE LEON GUERRERO, TED & TINA	
Investigation <input type="checkbox"/>	RATING	Sanitary Permit No.:	LOCATION:	Establishment Type:
Other: <input type="checkbox"/>	A	20000-10003052	MATE	CHILD CARE CENTER / NURSERY
PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired				
No. of Children: 15 Male 17 Female 32 Total			Child Care License No.: 170160 N / Valid / / Provisional / / Expired	

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED TODAY. PREVIOUS INSPECTION DONE ON 10/02/2017 RESULTED IN A RATING OF 4/A. ALL PREVIOUS VIOLATIONS WERE CORRECTED. THE FOLLOWING WERE OBSERVED TODAY:		
17.	DARK DISCOLORATION FOUND ON CEILING AND WALLS OF BOYS RESTROOM. WALLS AND CEILINGS SHALL BE KEPT CLEAN AND IN GOOD REPAIR TO PREVENT THE GROWTH OF MOLD AND HABITAT OF PESTS.	2	03/02/18
29.	TWO DEAD COCKROACHES FOUND IN HANDWASH SIGN IN KITCHEN SINK. BOTH INDOOR AND OUTDOOR AREAS SHALL BE ADEQUATELY PROTECTED AND MAINTAINED AGAINST PESTS TO PREVENT INFESTATION. PHOTOS WERE TAKEN. DISCUSSED REPORT WITH JENNIFER UMAGAT, DIRECTOR ISSUED & POSTED PLACARD "A" NO. 02953.	2	03/02/18

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:
 (2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

Jennifer Umagat Director

DEH Inspector (Name & Title):

V. RAYMUNDO, EPHOI R. ORLANDO, EPHOI